ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 619 (2001) 323–324

Journal of Organometallic Chemistry

Author Index of Volume 619

Adams, H., 209
Adams, R.D., 271
Agarkov, A.Y., 280
Aitali, M., 265
Ait Itto, M.Y., 265
Araos, G., 1
Asselberghs, I., 141
Auer, H., 110
Auner, N., 132

Back, S., 99
Baird, M.C., 62
Bassindale, A.R., 132
Bastero, A., 287
Beletskaya, I.P., 280
Belsky, V.K., 36
Benito, M., 245
Biagini, G., 49
Bigliardi, L., 179
Bögel, H., 24
Bouslikhane, M., 275
Boys, D., 1
Braunschweig, H., 305
Brüll, R., 164
Bulychev, B.M., 36

Caiazzo, A., 241
Claver, C., 287
Contreras, R., 1
Costa, M., 179

Dahlenburg, L., 88
Dalcanale, E., 179
Daran, J.-C., 265
Dias, A.R., 252
Dias, F.S., 179
Dong, Y.-B., 194
Driess, A., 99

Elsegood, M.R.J., 152
Englert, U., 305
Escudié, J., 275
Esquius, G., 14
Esterhuysen, C., 164
Esterhuysen, M.W., 164

Fang, X., 43
Feng, X., 204
Franceschini, P., 49
Frosch, W., 99
Furlani, A., 49

Gallagher, J.F., 141
Galvão, A., 252
Garcia, M.H., 252
Garden, S.J., 226
Ginsberg, A., 7
Glynn, S.J., 132
Goovaerts, E., 252
Gornitzka, H., 275
Götz, R., 88
Graiff, C., 179
Guerrero, A.M., 287
Gupta, A., 157

Harrison, W.T.A., 226
Hasnaoui, A., 265
Herrschaft, B., 132
Howard, J.A.K., 280
Howie, R.A., 226
Hudson, R.D.A., 141
Humayun Kabir, S.M., 31
Hu, Q.-M., 194
Huttner, G., 99

Izmer, V.V., 280

Jalón, F.A., 287
Jiang, Y., 204
Jutzi, P., 74

Kapoor, P., 157
Kapoor, R., 157
Karim, A., 265
Köhler, K., 99
Komai, J.-i., 235
Kramer, G., 110
Kruger, G.J., 164
Kuz'mina, L.G., 280

Lang, H., 99
Lazzaroni, R., 241
Lenze, N., 74
Levason, W., 218
Lin, M., 62
Li, Q.-S., 194
Li, Z., 204
Lo Sterzo, C., 49

Manning, A.R., 141
Manzano, B.R., 287
Maunder, G.H., 152
McHugh, P.E., 209
Migita, T., 313
Morris, M.J., 209
Müller, H., 99

Nakano, T., 313
Neugebauer, M., 305
Neumann, B., 74
Nolan, D.F., 141
Nowak, T., 24

Okamoto, M., 235
Ono, K., 313
Ono, Y., 235
Ooyama, D., 299

Patel, B., 218
Peng, Y., 204
Persoons, A., 141
Piedade, M.F.M., 252
Polborn, K., 110
Pons, J., 14
Pritzkow, H., 7

Qu, B., 271

Rahman, M.T., 31
Ranaivonjatovo, H., 275
Raubenheimer, H.G., 164
Reid, G., 218
Reina, J.A., 287
Riabov, A.N., 280
Riahi, A., 265
Rickard, C.E.F., 293
Robalo, M.P., 252
Roper, W.R., 293
Ros, J., 14
Rossell, O., 245
Rufino, H., 226
Ruiz, A., 287
Russo, M.V., 49

Salmon, A., 74
Savi, S., 241
Schiemenz, B., 99
Seco, M., 245
Segalés, G., 245
Sella, A., 152
Senda, Y., 313
Settambolo, R., 241
Siebert, W., 7
Sizov, A.I., 36
Song, L.-C., 194
Song, X., 43
Spey, S.E., 209
Stammler, A., 74
Stammler, H.-G., 74
Suzuki, E., 235

Tanaka, K., 299
Taylor, P.G., 132
Tiripicchio, A., 179
Tobisch, S., 24
Tomon, T., 299
Tsuge, K., 299
Tutone, F., 293

Uematsu, M., 235

PII: S0022-328X(01)00638-6

Valderrama, M., 1
Van Boxel, R., 141
Venugopalan, P., 157
von Koblinski, C., 305
Voskoboynikov, A.Z., 280

Wagner, S., 110
Ward, A.J., 218
Wardell, J.L., 226
Wenseleers, W., 252
Wiberg, N., 110
Woodgate, S.D., 293
Wright, L.J., 293
Wright, P.J., 209

Xie, Q., 43

Yáñez, R., 14
Yeung, C.-H., 204
Yu, K., 204

Zheng, X., 305
Zvukova, T.M., 36

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 619 (2001) 325–330

Journal of Organometallic Chemistry

Subject Index of Volume 619

Acaricial activity
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43
Acetyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299
Acetylide
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, 49
Alcohol
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
Alkene
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
1-Alkylaminopyrazoles
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, 14
Alkyne
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{\equiv}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, 209
Alkyne cyclisation
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, 179
Alkynyl
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C'Bu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
1-Allyl-2-formylpyrrole
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, 241
Allylgermanes
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, 313
Allyl halides
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, 313
Aluminium
Aluminium zirconium (+ 3 and + 4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, 36
ansa-Metallocenes
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, 280
Arsaphosphene
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, 275
Arylpalladium complexes
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, 164
Asymmetric catalysis
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, 204

Baeyer–Villiger reaction
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, 204
Benzonitrile
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, 252
Benzyl group abstraction
Benzyl group abstraction from $Ti(CH_2Ph)_4$ by $B(C_6F_5)_3$ and $[Ph_3C][B(C_6F_5)_4]$ to form Ziegler–Natta and carbocationic alkene polymerization initiators, 62
bicyclo- and tetrahedro-Tetrasilanes
Disilene R*XSi=SiXR* (R*=Si*t*Bu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110
bis-(Ferrocenyl)butadiyne
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, 271
Bithienyl
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$. Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, 141
Boron/bis(cyclopentadienyl)boranes
Synthesis and structure of aminobis(η^1-cyclopentadienyl)boranes and related compounds, 305

Carbocationic initiator
Benzyl group abstraction from $Ti(CH_2Ph)_4$ by $B(C_6F_5)_3$ and $[Ph_3C][B(C_6F_5)_4]$ to form Ziegler–Natta and carbocationic alkene polymerization initiators, 62
Carbohydrate
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, 226

PII: S0022-328X(01)00639-8

Carbon–carbon bond formation
Preparations and selectivities of magnesium-based mixed cuprates, 31
Carbon–copper bond
Preparations and selectivities of magnesium-based mixed cuprates, 31
Carbon monoxide
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
Carbonyl
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, 194
Catalysis
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, 241
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
Chiral-at-metal complexes
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-$[(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{–}P,O)]BF_4$, 1
Chiral bidentate ligand
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-$[(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{–}P,O)]BF_4$, 1
Chirality
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplexkatalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von [(1*R*,2*R*)-$Ph_2PCH(Ph)CH(Me)NH_2Me$]Cl, (1*R*,2*S*)-$Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und [{(1*R*,2*R*)-$Ph_2PCH(Ph)CH(Me)NHMe$-κ*N*,κ*P*}$Rh(\eta^4\text{-}1,5\text{-}C_8H_{12})]BF_4$, 88
Chiral oxazoline
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, 204
Chiral phosphine
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-$[(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{–}P,O)]BF_4$, 1
Cluster
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, 271
Transition metal clusters containing carbosilane dendrimers, 245
Conformation analysis
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Conjugate addition
Preparations and selectivities of magnesium-based mixed cuprates, 31
Constitutional isomers
Synthesis and structure of aminobis(η^1-cyclopentadienyl)boranes and related compounds, 305
Coordination bond
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, 24
Copolymerization
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
Copper
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, $o\text{-}C_6H_4(CH_2TeMe)_2$. X-ray structures of $[Mn(CO)_3Cl\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$ and $[W(CO)_4\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$, 218
Copper catalyst
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
Copper(I)
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C^tBu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
Crystal structures
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, 132
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(*p*-$NCC_6H_4NO_2$)][PF_6]·CH_2Cl_2, 252
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, 194
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{\equiv}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, 209
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, 157
Synthesis and crystal structure of bis[(4*S*,5*S*)-4,5-dihydro-4,5-diphenyl-2-(2′-oxidophenyl-χO)oxazole-χN]copper(II) and its application in the asymmetric Baeyer–Villiger reaction, 204
Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-$Ph_2PCH_2CHMeCH_2OH$. Crystal structure of (S_{Rh},S_C)-$[(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{–}P,O)]BF_4$, 1
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, 226
Cyclopentadienyl complexes: cobalt, rhodium, iron, ruthenium
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, 179
Cyclosilanes
Disilene R*XSi=SiXR* (R*=Si*t*Bu_3) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110

Dendrimer
Transition metal clusters containing carbosilane dendrimers, 245
DFT calculation
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, 24
Diarsene
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, 275
Diboroles
Syntheses and ligand properties of 1,3-di*t*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, 7
Diindenylboranes
Synthesis and structure of aminobis(η^1-cyclopentadienyl)boranes and related compounds, 305

Dinuclear
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, 49
Diorganotin compounds
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, 157
Direct synthesis
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
Disilanides
Disilene R*XSi=SiXR* (R*=Si*t*Bu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110
Disilenes
Disilene R*XSi=SiXR* (R*=Si*t*Bu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110

Early–late complexes
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C'Bu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
Electrochemistry
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Electronic communication
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, 271
Electrospray mass spectra
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, 14

Ferrocene
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, 49
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$. Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)\text{-}(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, 141
First hyperpolarizability
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[FeCp(DPPE)(p\text{-}NCC_6H_4NO_2)][PF_6]\cdot CH_2Cl_2$, 252
Fluorinated arsines
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, 275
Fluoroarsinylphosphine
New routes to diarsenes and arsaphosphenes involving fluorinated arsines, 275
Formyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299

Germylstannanes
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, 313

Gold
Transition metal clusters containing carbosilane dendrimers, 245

Hafnium
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, 280
Hemilability
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, 164
Heterocycles
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, 265
Heterometallic cluster
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, 194
Hydride
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{\equiv}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, 209
Hydrides
Aluminium zirconium (+ 3 and + 4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, 36
Hydroformylation
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, 241
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, 179
Hydrogenation
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplex-katalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von $[(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)\text{-}NH_2Me]Cl$, $(1R,2S)\text{-}Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und $[\{(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NHMe\text{-}\kappa N,\kappa P\}Rh(\eta^4\text{-}1,5\text{-}C_8H_{12})]BF_4$, 88
Hyperpolarisablity
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$. Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)\text{-}(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, 141
Hyper-Raleigh scattering
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$. Crystal structure of $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)\text{-}(\mu\text{-}(E)\text{-}C{-}CH{=}CH\text{-}7\text{-}(thieno[3,2\text{-}e][1]benzothiophene))]^+[BF_4]^-$, 141

Indolizine
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, 241
Insertion
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}(\mu\text{-}\eta\text{-}Z\text{-}FcCC(H)C_2Fc)(\mu\text{-}H)_3$, 271
IR
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43

IR and Raman spectroscopy
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299
Iridium
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplexkatalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von [(1*R*,2*R*)-$Ph_2PCH(Ph)CH(Me)NH_2Me$]Cl, (1*R*,2*S*)-$Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und [{(1*R*,2*R*)-$Ph_2PCH(Ph)CH(Me)NHMe$-κ*N*,κ*P*}$Rh(\eta^4$-1,5-$C_8H_{12})]BF_4$, 88
Iron
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(*p*-$NCC_6H_4NO_2$)][PF_6]·CH_2Cl_2, 252
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from [$Fe_2(\eta^5$-$C_5H_5)_2(CO)_2$(μ-CO)(μ-C–CH_3)]$^+$ [BF_4]$^-$. Crystal structure of [$Fe_2(\eta^5$-$C_5H_5)_2(CO)_2$(μ-CO)-(μ-(*E*)-C–CH=CH-7-(thieno[3,2-*e*][1]benzothiophene))]$^+$ [BF_4]$^-$, 141

Manganese
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, *o*-$C_6H_4(CH_2TeMe)_2$. X-ray structures of [$Mn(CO)_3Cl${*o*-$C_6H_4(CH_2TeMe)_2$}] and [$W(CO)_4${*o*-$C_6H_4(CH_2TeMe)_2$}], 218
Transition metal clusters containing carbosilane dendrimers, 245
Mercury
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of Hg[C_6H_4(CHO)-2]Cl and Hg[C_6H_4(CH=CH_2)-2]$_2$, 293
Metallic silicon
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
Metallocenes
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions [$(\eta^5$-$C_5H_5)_2Zr(\mu$-H)]$_2$(μ-H)$AlCl_2$ and [$(\eta^5$-$C_5H_5)_2ZrH(\mu$-H)$_2]_3$Al, 36
Metathesis
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, 313
Methyl complex
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299
Mixed cuprates
Preparations and selectivities of magnesium-based mixed cuprates, 31
Molecular dynamics
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Molybdenum
Transition metal clusters containing carbosilane dendrimers, 245
Multinuclear NMR
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43

Neodymium
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, 24
Nickel(0)
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von [Ti](C≡$CCH_2NMe_2)_2$ und {[Ti](C≡C′Bu)$_2$}CuC≡CC≡CC_2H_5, 99
Nitrogen ligands
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
NLO materials
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(*p*-$NCC_6H_4NO_2$)][PF_6]·CH_2Cl_2, 252
NMR
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, 265
Non-linear optics
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(*p*-$NCC_6H_4NO_2$)][PF_6]·CH_2Cl_2, 252
The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from [$Fe_2(\eta^5$-$C_5H_5)_2(CO)_2$(μ-CO)(μ-C–CH_3)]$^+$ [BF_4]$^-$. Crystal structure of [$Fe_2(\eta^5$-$C_5H_5)_2(CO)_2$(μ-CO)-(μ-(*E*)-C–CH=CH-7-(thieno[3,2-*e*][1]benzothiophene))]$^+$ [BF_4]$^-$, 141

o-Formylphenyl complexes
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of Hg[C_6H_4(CHO)-2]Cl and Hg[C_6H_4(CH=CH_2)-2]$_2$, 293
Olefin
Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study, 24
Organogermanium
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43
Organometallic complexes
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of Hg[C_6H_4(CHO)-2]Cl and Hg[C_6H_4(CH=CH_2)-2]$_2$, 293
Organosilane
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor, 235
Organotin
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, 226
Osmium
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $Os_4(CO)_{11}$(μ-η-*Z*-FcCC(H)C_2Fc)(μ-H)$_3$, 271
o-Vinylphenyl complexes
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of Hg[C_6H_4(CHO)-2]Cl and Hg[C_6H_4(CH=CH_2)-2]$_2$, 293
Oxidation
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent (*p*-$CH_3OC_6H_4)_2TeO$. Crystal structures of (μ$_3$-S)$FeCoMo(CO)_7(\eta^5$-$C_5H_4COCH_3)(PPh_3)$ and (μ$_3$-Se)$FeCoMo(CO)_7(\eta^5$-$C_5H_4COCH_3)(PPh_3)$, 194

Oxygen–selenium ligands
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, 164
Oxygen–sulphur ligands
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, 164
Oxygen transfer reagent
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent $(p\text{-}CH_3OC_6H_4)_2TeO$. Crystal structures of $(\mu_3\text{-}S)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$ and $(\mu_3\text{-}Se)FeCoMo(CO)_7(\eta^5\text{-}C_5H_4COCH_3)(PPh_3)$, 194

Palladium
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands, 164
Palladium catalysis
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes, 313
Palladium complexes
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
Pentacoordination
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, 132
Platinum
Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4′-bis(ethynyl)biphenyl (debp) unit as central core, 49
Platinum metal
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, $o\text{-}C_6H_4(CH_2TeMe)_2$. X-ray structures of $[Mn(CO)_3Cl\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$ and $[W(CO)_4\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$, 218
P,N ligands
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplexkatalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von $[(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NH_2Me]Cl$, $(1R,2S)\text{-}Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und $[\{(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NHMe\text{-}\kappa N,\kappa P\}Rh(\eta^4\text{-}1,5\text{-}C_8H_{12})]BF_4$, 88

Reduction
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, 36
Rhodium
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole, 241
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplexkatalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von $[(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NH_2Me]Cl$, $(1R,2S)\text{-}Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und $[\{(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NHMe\text{-}\kappa N,\kappa P\}Rh(\eta^4\text{-}1,5\text{-}C_8H_{12})]BF_4$, 88
Syntheses and ligand properties of 1,3-di*t*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, 7
Synthesis of rhodium(III) complexes with the chiral phosphine $(S)\text{-}Ph_2PCH_2CHMeCH_2OH$. Crystal structure of $(S_{Rh},S_C)\text{-}[(\eta^5\text{-}C_5Me_5)RhCl(\eta^2\text{-}PPh_2CH_2CHMeCH_2OH\text{–}P,O)]BF_4$, 1
Rhodium–amine complexes
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, 14
Rhodium complexes
Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands, 14
Ruthenium
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{\equiv}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, 209
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299
Ruthenium(II)
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, 265

Sandwich complexes
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Sandwich compounds
Syntheses and ligand properties of 1,3-di*t*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η^5-2,3-dihydro-1,3-diborole) and rhodium-(η^5-2,3-dihydro-1,3-diborolyl) complexes, 7
Selectivity
Preparations and selectivities of magnesium-based mixed cuprates, 31
Silicon
Disilene R*XSi=SiXR* (R*=Si*t*Bu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, 132
Silver(I)
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C'Bu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
Silylenes
Disilene R*XSi=SiXR* (R*=Si*t*Bu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110
Solid-state NMR
Synthesis, solution and solid-state NMR spectra of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-(organostannylmethyl)-α-D-glucopyranosides: Crystal structure of methyl 4,6-*O*-benzylidene-2,3-bis-*O*-[(dimethylphenylstannyl)methyl]-α-D-glucopyranoside, 226
Styrene
New catalysts for the alternating copolymerization of 4-*tert*-butylstyrene/CO, 287
Substituted cyclopentadiene
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes, 179
Substitution
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, 132
Sulphonates
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-}C_4H_9)_2Sn\{\mu\text{-}OSO_2C_6H_2(CH_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-}C_4H_9)_2Sn\{(\mu\text{-}OH)(\mu\text{-}OSO_2C_6H_2(CH_3)_3)\}]_n$, 157
Synthesis
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43

Telluroether
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, o-$C_6H_4(CH_2TeMe)_2$. X-ray structures of $[Mn(CO)_3Cl\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$ and $[W(CO)_4\{o\text{-}C_6H_4(CH_2TeMe)_2\}]$, 218
Tin
Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry, 74
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, 280
Titanium
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, 36
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, 280
Titanocene
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C^tBu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
Triazepine
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, 265

Urea
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands, 132

Vinyl
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[Ru(H)(CO)(S_2CC{\equiv}CPh)(PPh_3)_2]$, $[Ru(CO)(CPh{=}CHPh)(S_2CC{\equiv}CPh)(PPh_3)_2]$ and $[Ru(CO)(C{\equiv}CMes)(S_2CC{\equiv}CPh)(PPh_3)_2]$, 209

X-ray analyses
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties, 265
X-ray analysis
Donor-funktionalisierte Alkinyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von $[Ti](C{\equiv}CCH_2NMe_2)_2$ und $\{[Ti](C{\equiv}C^tBu)_2\}CuC{\equiv}CC{\equiv}CC_2H_5$, 99
X-ray crystallography
Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO_2 reduction, 299
X-ray diffraction
Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium, 43
X-ray structure analyses
Disilene R*XSi=SiXR* (R*=SitBu$_3$) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen, 110
X-ray structure analysis
Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplex-katalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von [(1*R*,2*R*)-$Ph_2PCH(Ph)CH(Me)NH_2Me$]Cl, (1*R*,2*S*)-$Ph_2PCH(Ph)CH(Me)NHSO_2Me$ und $[\{(1R,2R)\text{-}Ph_2PCH(Ph)CH(Me)NHMe\text{-}\kappa N,\kappa P\}Rh(\eta^4\text{-}1,5\text{-}C_8H_{12})]BF_4$, 88

Ziegler–Natta catalyst
Benzyl group abstraction from $Ti(CH_2Ph)_4$ by $B(C_6F_5)_3$ and $[Ph_3C][B(C_6F_5)_4]$ to form Ziegler–Natta and carbocationic alkene polymerization initiators, 62
Zirconium
Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions $[(\eta^5\text{-}C_5H_5)_2Zr(\mu\text{-}H)]_2(\mu\text{-}H)AlCl_2$ and $[(\eta^5\text{-}C_5H_5)_2ZrH(\mu\text{-}H)_2]_3Al$, 36
Synthesis and X-ray crystal structures of *ansa*-complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand, 280